3BSE088386R1 1/3



PRODUCT-DETAILS

3BSE088386R1

PM857K02 Redundant Processor Unit HI



107	_		_
ᄣ	₩.	4=	Ħ
TLA.	ᇴ	16	æ

产品ID3BSE088386RIABB型号名称PM857K02目录说明PM857K02 Redundant Processor Unit HI

High integrity, certified for SIL3. Requires configuration according to Safety Manual. Local organizations must comply with the Qualifications to secure successful sales of ABB safety systems, to order safety equipment.

96MHz and 32MB. Max 128 I/O signals. Package including: - 2 pcs PM857K01, Safety Processor unit. - TK850, CEX-bus expansion cable. - TK851, RCU-Link cable.

Only compatible with 800xA 6.1, Control Builder Safe 3 and onwards.

Please see Product Update for more information.

其他信息

地体沿明

详细描述

 $High\ integrity, certified\ for\ SIL3.\ Requires\ configuration\ according\ to\ Safety\ Manual.\ Local\ organizations\ must\ comply\ with\ the\ Qualifications\ to\ according to\ acco$

- No license included.

3BSE088386R1 2/3

secure successful sales of ABB safety systems, to order safety equipment.
96MHz and 32MB. Max 128 I/O signals. Package including: - 2 pcs
PM857K01, Safety Processor unit. - TK850, CEX-bus expansion cable. TK851, RCU-Link cable. - No license included. Only compatible with 800xA
6.1, Control Builder Safe 3 and onwards. Please see Product Update for
more information.

<u>产品应用类型</u> Central_Unit_

订货信息

HS Code

853710 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES; Boards, panels, consoles, desks, cabinets and other bases, equipped with two or more apparatus of heading|8535|or 8536, for electric control or the distribution of electricity, including those incorporating instruments or apparatus of Chapter|90, and numerical control apparatus, other than switching apparatus of heading|8517;For a voltage not exceeding 1|000|V

海关关税号 85371091

尺寸

产品净深	135 mm
产品净高	186 mm
产品净宽	238 mm
产品净重	2.4 kg

外部分类和标准

危险品UN分级	Class 9: Miscellaneous Dangerous Substances and Articles, Including
	Environmentally Hazardous Substances
危险品UN编号	UN3091-PI970

环境条件

RoHS状态	Following EU Directive 2011/65/EU	
WEEE 类别	5. Small Equipment (No External Dimension More Than 50 cm)	
Number of Batteries	2	
电池化学成分	Lithium	
电池类型	Portable	
电池重量	9 g	
SCIP	a1eh7916-d8e0-4fe2-8hf9-7513h5479071 Sweden	

分类

 $\textbf{Control System Products} \rightarrow \textbf{Control \& Communication} \rightarrow \textbf{AC 800M} \rightarrow \textbf{AC 800M} - \textbf{High Integrity} \rightarrow \textbf{PM857 Processor Units} \rightarrow \textbf{PM857K02 Redundant Processor Unit HI}$

 $\textbf{Control System Products} \rightarrow \textbf{Control \& Communication} \rightarrow \textbf{AC 800M} \rightarrow \textbf{AC 800M} - \textbf{High Integrity} \rightarrow \textbf{PM863 Processor Units} \rightarrow \textbf{PM863K01 Processor Unit HI}$

控制系统 ightarrow 800xA ightarrow 安全产品 ightarrow AC 800M HI

