



PRODUCT-DETAILS

CP651

CP651 Control Panel 10.4" TFT touch scre



概要信息	
产品型号	CP651
产品ID	1SAP551100R0001
ABB型号名称	CP651
欧洲商品编号(EAN)	4013614493119
目录说明	CP651 Control Panel 10.4" TFT touch scre
详细描述	CP651 Control Panel 10.4" TFT touch screen, 64 K colors, 800 x 600 pixel, PB610 runtime license

附加信息	
ABB型号名称	CP651
周围环境温度	Operation 0 ... +50 °C Storage -20 ... +70 °C
CN8	85371091
通讯接口	2x Ethernet 10/100Mbit 1x RS-232/-422/-485 2x USB 2.0 Host 1x SD-card slot 2x Expansion slot

原产地	Italy Germany
海关关税号	85371091
防护等级	acc. to IEC 60529 Front IP66 acc. to IEC 60529 Housing IP20
欧洲商品编号(EAN)	4013614493119
外形尺寸	Undefined
GL认证	1SAA960004-0304
毛重	2.9 kg
壳体材料	Front side: Aluminium Reverse side: Aluminium
发票说明	CP651 Control Panel 10.4" TFT touch scre
按订单生产	否
最大订购量	0 piece
存储容量用户数据	256 MB
存储容量用户程序	256 MB
存储类型用户数据	Flash Disk
存储类型用户程序	DDR RAM
最小起订量	1 piece
安装类型	Front face
订单倍数	1 piece
1级包装长度	370 mm
1级包装高度	120 mm
1级包装单元	1 箱
1级包装宽度	270 mm
	24 W
供电	24 (18 ... 30) V DC
产品系列	CP651
产品	Control Panels
产品净深	60 mm
产品净高	232 mm
产品净重	2.05 kg
产品净宽	287 mm
产品应用类型	PLC-CP600
编程软件	PB610 Panel Builder 600
仅报价	否
实时时钟	Hardware clock, battery back-up
更换产品ID (OLD)	1SAP550100R0001
SCIP	bb117a70-1600-49ce-a95b-f529f2bf3448 Germany
屏幕颜色	64k colors
屏幕分辨率	800 x 600 pixel
屏幕尺寸	4:3 screen 10.4 in
屏幕类型	TFT color, LED backlight, touch screen
安全性	Password protection with 8 user levels
销售度量单位	piece
串行端口1类型	RS232/RS422/RS485
使用寿命	40000 hour
简要说明	CP651 Control Panel 10.4" TFT touch screen
仓库库存	Menden, Germany Hangzhou, China Bairro Santo Antonio, Brazil
UNSPSC	32151703
USB端口类型1	Host, version 2.0
USB端口类型2	Host, version 2.0
WEEE B2C / B2B	Business To Business

WEEE 类别	5. Small Equipment (No External Dimension More Than 50 cm)
e级	27-33-02-01

分类

可编程控制器 自动化 → Service → Spares and Consumables → Parts

